

0010 .TXD084972777 0001



ecology and environment, inc.

International Specialists in the Environment

1999 Bryan Street Dallas, Texas 75201 Tel: (214) 220-0318, Fax: (214) 855-1422

MEMORANDUM

TO:

Chris Petersen, DPO

EPA Region 6

THRU:

Chris Quina, TATL

Region 6 Technical Assistance Team

FROM:

Steven Cowan Sc

Region 6 Technical Assistance Team

DATE:

August 16, 1994

REF:

TAT Contract Number 68-WO-0037

TDD #: T06-9405-905 PAN #: E06Z170VAA

SUBJECT:

Narrative Summary

Denka Chemical Corporation, Houston, Harris County, TX. CERCLIS #: TXD084972777

INTRODUCTION

The Region 6 Technical Assistance Team (TAT) was tasked by the U. S. Environmental Protection Agency (EPA) to review the existing EPA Region 6 CERCLIS file for Denka Chemical Corporation so a final decision can be made by EPA as to the site's current CERCLIS status. From the file review relevant Hazard Ranking System (HRS) data was collected, and the site was found to be an active RCRA Large Quantity Generator and a Treatment/Storage/Disposal (TSD) facility. Based on the file review, the EPA will make the decision to either conduct further remedial action or to assign the classification of No Further Remedial Action Planned (NFRAP) for the site. This memorandum will briefly describe the information obtained from the file for the Denka Chemical Corporation site.

SITE HISTORY AND DESCRIPTION

The Denka Chemical Corporation site, which is located in Houston, Texas, is an active chemical manufacturing plant of maleic anhydride and fumeric acids which can lead to the formation of dioxin. Samples have been taken numerous times at the facility. The primary settling pond has been capped under RCRA closure. The facility has active RCRA involvement.

REGULATORY STATUS OF SITE

The site is a RCRA Large Quantity Generator and TSD facility. The site was discovered in 1980 through the Environmental Protection Agency (EPA) publication 600/2-8-197; "Dioxin". A Site Inspection was conducted in 1988. The facility holds a Texas Solid Waste Permit, a Wastewater Disposal Permit, and Hazardous Waste Permit. In 1985, a RCRA Part and Part B were filed. An EPA Notification of Regulated Waste Activity was filed by Denka Chemical Corporation.

RELEVANT HRS DATA

The sources at the site include several waste management units that are regulated by RCRA. Dioxins are the contaminant of concern.

Ground water may be used for drinking water within the target distance limit of the Ground Water Migration Pathway. However, no drinking water wells have been located with the 4-mile radius of the site.

Drainage from the site enter the Sims Bayou and then into Galveston Bay. Surface water is used by the City of Houston for drinking water; however, drinking water intakes have not been identified with the target distance limit of the Surface Water Migration Pathway.

Target information is not known for the Soil Exposure Pathway.

Approximately 100 individuals live within ¼ mile of the site. Sensitive environments have not been identified within the target distance limit of the Air Migration Pathway.

RCRA FACILITY ASSESSMENT EVALUATION

PRELIMINARY REVIEW, VISUAL SITE INSPECTION AND SAMPLING VISIT

Region VI. Technical Compliance Section

FACILITY'S NAME(S): Denka Chemical Corporation
EPA ID NUMBER: TXD094979777
ADORESS: 8701 Park Place Rivd., P.O. Box 87220, Houston, Texas 77017
LCCATION: Intersection HWY 225 & Goodyear Road on Houston Ship Channel
DATE OF 1850ECT108: July 20-21, 1987
DATE OF SAIPLING VISIT: August 5, 1987 SV CONDUCTED BY: A. T. Kearney
SITE DESCRIPTION: 28-acre chemical plant making Neoprene Rubber & Malcic
Achydride PREPARED BY: A. T. Kearney DATE PREPARED: August 27, 1987
REVIEWED BY: Herbert Gorrod DATE REVIEWED: 2/12/88 - 8/22/88
FACILITY STATUS: Active/Closure of LO Units CLOSURE PLAN APPROVED: April 20, 198
ANY ON-COURT STATE/FED 264, 265, or 270 CORRECTIVE ACTION OR CERCLA ACTION:
DOES FACILITY HAVE A CERCLA FILE? YES X NO
Whom was the CERCLA PA/SI performed at this facility: PA 9/83; SI 2/85
DOES FACILITY HAYF UIC WELL? YES NO X
TYPE OF DRINKING MATER SUPPLY WITHIN & 3-MILE RADIUS: City of Houston water supply surface water. No water walls within 2 miles. The primary groundwater source is the Evangeline Aquifer at 600-feet.
TARGET POPULATION WITHIN A 3-MILE RADIUS: 40,000 people within 2 miles. Primarily an industrialized area bordering the Houston Ship Channel. Oil refinegies, petrochemical plants.
RECOMMENDATIONS: X R.F.I. I.M No Further Action under RFA
(Indicate only one unless 1.M. is marked)
<u>x</u> 3004(u) 3007
Possible Enforcement Action: 3008(a) X 3008(h)

B. MUMBER OF SHEW/ADC INVESTIGATED DURING THE PR/VSI: 50

1. NUMBER OF SHED INVESTIGATED DURING THE PRIVATE 43

LIST OF SUM	REGULATED BY RCRA*	STATUS**
1) Maleic Pond-upper	v	•
2) Process Waste Storage Areas	Y	Ç
3) Maste Pile	# #	Ç
4) Imboff Pond		A.
5) Maleic Pond-Lower	¥ .	Ą
	-1 ¥	Ą
5) Stormwater Pend (Lake Hausenstef7) Soler Fond	n) Y	A -
C) Anaerobic Pend		1 · A 1 A A
3) Alux Clarifiers	4	1
	<u>.</u>	Ą
10) Boiler Blowdown Fonds (2)	₩ Z	j i
11) Aeration Pends (3) 12) Shirmer Pit	Y	Ā
12) Select Mile	Ħ	Ą
13) Latex Fits (2)	§	Ą
14) Splitter Box	ž.	Ą
15) RCP Pit Washdown Area	R	A
15) Latex Trench System		A
17) Chemical Trench	N	A
18) Clean Stormwater Oftch (Areas 3		A
19) Aerator Ponds Ditch	9	, A
20) Honomer Plant Rail Line Oitch	\$	A
21) Wondner Plant Sump	R	Ą
22) Solvent Storage Area Sump	No.	A
23) Lift Station at Lake Hausenstein	¥	A.
24) Sump at Tank 402	Ħ	A
25) Sump at Tank 413	1	i
25) Drub/Tanks Bay	K	A
27) Caustic Unloading Area	Ħ	A
28) Tank Truck Unloading Area	ä	A
23) Process Recorenc & Latex Wastes	舞	A
30) Latex Pits Pad	8	A
31) IES Cleaning Pad	n e H	A
32) Tank Car Loading Area	. K	I
33) Coke Storage Pad	K	À
34) Tank 412-413	Ħ	Ä
35) Tank 415	1	A
36) Clarifiers (2)	Ħ	Ä
37) Asbestos Roll-off Bin	Ř	Ä
35) Empty Drum Storage Area	7	Ä
39) OC Lab Waste Drum Sterage Area	pt .	· Ä
40) Spent Catalyst Storage Area-Monor	ser K	Â
41) Spent Catalyst Storage Area-Rale	ic #	Â
42) Roll-off Bin-Latex Trench	8	Ä
43) Waste Gas Incinerator	×	Ä
The contract of the	# E	Λ.

2. ARTH OF CONCERN:

LIST OF ACC

- 1) Outside Storage Area 2) Sattery Storage Area
- 3) 011 Spill on Building
- 4) Maleic Anhydride Sampling Station
- 5) Diesel & Gasoline Tank Storage Area 6) Dispensing Station for Solvents & Cils 7) Recovered Chloroprene Tanks (2)

C. SAITLING VISIT

SHEW OF ACC SAMPLING LOCATION	SAMPLE/MEDIA SAMPLE TYPE (GRAS.COMPOSITE)	PARAMETERS	RESILTS
01 - SWW 606 (Inflow pipe - 2' above W.L.)	Sol1/Grab	yoA, Semi-YGA, Matals	21-2-Cyclohexen-lyl - 14 ppg. 8 Alkanes - range 16-120 ppg. 3 Hydrocarbons-range 93-200 ppg. 6 Unknowns - range 6-200 ppg. Arsenic-5 ppg; Cobalt - 7 ppg; Chrowitts - 85 ppg; Eagnesium - 85 ppg; Hickel - 43 ppg; Yanadium - 34 ppg.
02 - Shin tos (Discharge pipe - 2: above W.L.)	Set1/Crab	VAA, Semi-VOA, Metals	Bi-2-Cyclobexen-lyl - 14 ppm; 1,5-Cyclo Octadione, 1,6 - Dichlore: 37 ppm; Dodceune, 4,6-Dimethyl: 39ppm; 3 enknowns - range 28-170 ppm; 12 Fydro- carbons - range 93-260 ppm; Silver - 3ppm; Arsonic - 6 ppm; Cobalt 5 ppm; Chromium - 435 ppm; Iron - 11,900 ppm; Magnesium - 2,460 ppm; Man- ganese - 86 ppm; Mickel - 83 ppm; Tin - 32 ppm; Yanadium - 44 ppm.
03 - 5888 #05 (Bank - 1' above W.L.)	Soll/Crab	VOA. Seot-YOA. Hetals	Aluminus - 25,000 ppm; Arsenic - 6 ppm; Cebait - 85 ppm; Chrowium - 49 ppm; Iron - 20,000 ppm; Magnesium - 4,020 ppm; Magnesium - 15 ppm; Vanadium - 32 ppm; Ethylbenzene - 16 ppm; Xylene 14 ppm; Gi-2-Cyclohexen-lyl - 5 ppm; Gi-2-Cyclohexen-lyl - 5 ppm; I.5 Cyclo octadiene, 1,6 Dichlere - 35 ppm; Cotane, 2,4,8-Trimethyl-4 - 12 ppm; Maphalene, 1,2,3-Trimethyl-4 ppm; Gotane, 2,4,8-Trimethyl-32ppm; Mapthalene, 1,2,3-Trimethyl-4 propanyl (E) - 130 ppm; Edydrocertans - range 38-380 ppm; 1 Alkane - 99ppm; 5 Uninowns - range 22-110 ppm.

-		!	5	
	SHMU or AOC SAMPLING LOCATION	SAMPLE/MEDIA SAMPLE TYPE (GRAB.COMPOSITE)	PARAMETERS	RESULTS
	04 Between SWMUs 4 & 31	Sof1/Grab	VOA, Semi-VOA, Metals	Aluminum - 10,800 ppm; Arsenic - 8 ppm; Cadmium - 4 ppm; Cobalt - 44 ppm; Chromium - 273 ppm; Iron - 19,200 ppm; Magnesium - 2,080 ppm; Manganese - 178 ppm; Nickel - 50 ppm; Tin - 31 ppm; Vanadium - 16,000 ppm; Diethylphthalate - 27 ppm; IH Indene, Octahydro 2,2,4,4,7,7-Hexamethyl- Trans - 41 ppm; 1,2-Benzen- ediol, 4-(1,1,Dimethylethyl) - 42 ppm; 14 Alkanes - range 31-260 ppm; 1 hydrocarbon - 63 ppm; 5 Unknowns - range 36-77 ppm.
	05 SW/U #38	Sof1/Grab	VOA, Semi-VOA, Metals	15 Unknown Compounds - range 5-250 ppm; Arsenic - 11 ppm; Cadmium - 2 ppm; Cobalt - 4 ppm; Chromium - 45 ppm; Hangan - 244 ppm; Nickel - 29 ppm; Tin - 17 ppm; Vanadium - 30 ppm.
	06 SWMU #03 (Adjacent to Waste Pile)	Soil/Grab	VOA, Sem1-VOA, Metals	Aluminum - 9,370 ppm; Chromi - 199 ppm; Magnesium - 6,760 ppm; Manganese - 87 ppm; Nickel - 669 ppm; Vanadium - 23 ppm; 1,6 Dichloro-1,5-Cyclo octadiene - 41 ppm; Cyclododecane - 48 ppm; Phenothiazine (ACN) - 46 ppm; bis (2 Ethylhexyl) Phtholate - 39 ppm; 1,-Phenanthrenecarboxylic Acid 1,2,3,4,4A - 57 ppm; 16 Unknowns - Range 1-1,300 ppm.

SLATU OF AGG SAMPLING LOCATION	SAMPLE TYPE SAMPLE TYPE (GRAB-COSTOSITE)	PARMETERS	RESMITS
C7 SUMD 407 (Near Cooling Tower)	Soil/Srab	VOA. Sent-YOA. Hetals	Aluminum - 10.700 ppm; Arsenic - 9 ppm; Chromium - 151 ppm; Magnesium - 2.550 ppm; Manganese - 133 ppm; hicker - 50 ppm; Selenium - 4 ppm; Vanadium - 22 ppm; tis(2-Ethylnexyl) Phthalate - 3 ppm; 1-Ethenyl-3-methy- lene cyclopenteno - 3 ppm; 1-Chloro-2-Ethyl Benzeno - 6 ppm; 1-Chloro-4-(1-Chloro- ethenyl) cyclobexene - 8 ppm; 1.6 Dichloro-1.5-Cyclo octadine - 340 ppm; 2.5- Cyclobexadione-1.4-Dione, 2.5-bis (1.1) 16 ppm; 21 unknowns - range 1-400 ppm.
GS Sackground (Wooded Area)	Sof lyGrab	VOA, Sect-VOA, Tetals	Aluminum - 8,390 ppm; Chronium - 13 ppm; Regnesium - COS ppm; Manganess - 551 ppm; Venedium - 12 ppm; 1-Methyl- ethyl Ester Acetic Acid - 1 ppm; 2,4-Dimethyl-2-Pentanol - 44 ppm; Tricerbonyl (%(Phenyl 2-Pyridioylum)) - 1 ppm. 10 Unknown Compounds - range > 1-2-
69 Equipment Blank	Water	yoA, Sest-VOA, Setals	No significant concentra- tions.

D. NUMBER SWEET TO BE INCLUDED IN THE RFI: 20 (Except RCEA units subject to Subpart F refer to Section E)

1. HUMBER OF SMEU AT WHICH RELEASES HAVE BEEN IDENTIFIED: 16

LIST OF SWEET	HEDIA	NOTED DOCUMENTATION OF RELEASE
1) Process Waste Storage Arca (02)	Sa11/GW	In the past, sludges, centain- erized material, and used equipment was stored. It was closed, covered, and seeded. Little is known about its size or ralease controls. During the YSI a thick, black oily substance was noted in water course areas. A sample was taken during the SV. The presence of organic & inorganic constituents was confirmed. Past releases through Lake Hausenstein to Sims Bayou probably occurred.
2) Waste Pile (03)	Soll/GW	Waste Latex & Synthetic rubber is piled on bareground. Stand-ing water & soil were colored orange during YSI. Sampling indicated the presence of several organic and inorganic materials.
3) Latex Trench System System (16)	Soil/GW Surface Hater	An unlined, concrete trench (2'x 2'x300') carries latex waste from the neoprene plant to the Latex Pits (SWMU 13). Also, uncharacterized drippings with a pungent odor were noted during the YSI going into this unit from the Roll-off Bin (SWMU #42). The trench has no top and is known to everflow into the street and to a clean water drainage ditch that goes to the nearby Bayou.
4) Aerator Pond Ditch (19)	Sof1/GH	An unlined, earthen ditch (1'x 2'x 300') carries storm—water run-off and run-off from Latex Waste Pile (03). The VSI found staining from oily materials along the ditch.

LIST OF SHILL	HEUIA	NOTED DOCUMENTATION OF RELEASE
5) Monomer Plant Rail Line Sitch (20)	Sə11/G¥	This unlined, uncovered, earthen ditch (20) (2' x 4' x 100') carries contaminated stormwater from the Honemer Plant to the Solar Pond (SUHU 7). During the VSI, oily staining was noted along the ditch sides; also, the water in the ditch was cloudy.
6) Caustic Unloading Area (27)	Sc11/6W	Pre-1986, reilcars unloaded caustic over the bare ground. Sumerous spills of corrosive waste (DOG3) were reported. In 1986, drip pans were installed to carry and spill to the Skimmer Pit (SPM 12). The past releases to the soil and ultimate migration to the groundwater should be investigated.
7) Letex Pits Pad (39)	\$e11/6V	A concrete, above-grade pad that is slightly sloped to drain liquids from the stored waste into the Latex Pits (5000 13) receives industrial solld waste from the Heoprene finishing Plant. The pad is curbed on 2 sides. During the VSI, it was noted that releases had occurred past the unit boundary on to the soil. In addition, dry particles of waste were seen on the pad floor.
a) Heat Exchanger Sundle Cleaning Pad (31)	Saf1/GU	Heat Exchanger Rundles are cleaned on this pad with a series of channels allowing drainage into the Inhaff Pond (SUMU 4). The pad is covered, but no sides, concrete, and without secondary containment. Extensive oily staining was noted in the soil between the pad and the pond. Since HEB usually contain hazardous constituents, releases have probably taken place. A sample taken in this area indicated the presence of hazardous constituents, both organic and inorganic.

LIST OF SUPE	HEDIA.	BOTED DOCUMENTATION OF BELEASE
9) Tank Car Loading Area (32)	Sc11/G2	In the past, tank cars were washed out without control of the waste wash which had clean-ing residues and cily tank bottoms, and drained to the bare soil. Staining noted during hie VSI indicates a high probability of soil and groundwater contamination.
10) Tanks 412-413 (34)	So11/6¥	Two above ground, open-top tanks are carbon steel with internal liner. Each has a capacity of 750,000 gallons and stores equeous menomer waste streams and polymer sludge before transfer to the Aeration Ponds (Summ II). Each tank has a shut-off pump and overflow menual controls. The units have a history of spillage of coustic material; also, during the VSI a valve was being repaired which allowed a waste stream of several gallons/minute to flow onto the ground. Contamination has taken place.
11) Empty Brum Storage Area (38)	Sa11/GN	unit is designated place for storage of empty product drums; however, partially filled drums are also set on this site. Unit has no paying (only bare ground), no containment, windbreak, or roof. The YSI showed both eily staining and soil discoloration. A sample taken and analyzed indicated the presence of organic and inorganic contactnants.
12) OC Lab Vasto Drum Storage Area (39)	Sett/SW	Brums, containing lab reagents and spent solvents, are set on pallets inside the GC Laberatory. The floor was concrete, but no cursing. Brainage west to a clean storm water sewer. During the VSI, some drums were leaking and others had no lids. Surface staining indicated the probability of a hazardous release.

LIST OF SHIELS	MEGIA	NOTED DOCUMENTATION OF RELEASE
13) Latex Trench Roll-off Bin (42)	Soi1/GW	Since the 1970's a 25-cubic yard roll-off Bin (42) Trench (SUNU 16). A wet, aromatic is sprayed into the uncovered and unlined bin. Liquids dripped from the bin into the trench. Also, the area was covered in residue. There is a high potential for releases in various modia. SUHU's 16 and 42 should be examined together.
14) Outside Storage Area (AOC "A")	Sof1/GW	On the ground outside the ware- house, solvent product drums are stored. During the VSI, most were upright on pallots, but some were overturned. The area is heavily stained with an oily substance. The pre- sence of hazardous materials and the extent of contamination should be established.
15) Fuel Tank Storage Area (AOC "E")	Sof1/6W	Work vehicles are filled with diesel or gasoline from tanks with no spill protection, i.e., pads or drip pans. The ground was heavily stained from past spills.
16) Recovered Chloroprene Tanks (AOC "G")	So11/6¥	Two, active, non-regulated, recovered chloroprene storage tanks sit above ground within a diked concrete pad. Significant spillage was noted in the side-diked pad area. The integrity of the pad is unknown, nor is the extent of probable contamination.

2. HUNDER OF SWAN AT WHICH A RELEASE IS HIGHLY POSSIBLE: 4

LIST OF SHAD	HEDIA	RATIONALE
1) Two Latex Pits (13)	Soi1/GW	Unlined, concrete, open-topped pits receive and coagulate latex waste using calcium chloride. There are no evertopping controls. Staining indicates possible release of hazardous constituents.

	LIST OF SHIP	MEDIA	PATIONALE
2)	ECP Pit Yashdown Area (15)	S011/6¥	Although no releases have been documented, the YSI indicated that overflows probably occurred in the past. The unit is an unlined, concrete, uncovered, supplied tank that holds washdown and hezerdous waste spills from the RCP tanks.
3)	Clean Store Water Drainage Olich (18)	\$911\GH	An unlined, below-grade, concrete ditch collects and directs run-off along the Reoprene Finishing Plant. Heavy staining along the margins indicates possible contamination of the subsurface.
4)	Processed Neoprene and Latex Wastes (29)	\$o11/6¥	Although there have been no documented or observed releases, the wastes managed are the same as at the waste pile (SKHU 3) which was sampled. Over 10 known and several unknown organics and four inorganics were detected in SYMU 33. Therefore, it is likely that the same constituents are present in this SYMU and should be investigated.

3. MUNICER OF SKINI MINERE A BETERMINATION OF RELEASE CAN NOT BE HADE DUE TO LACK OF INFORMATION: O

E. MURBER OF SWELL FOR MUICH AND BELLIS NOT RECOMMENDED: 21

LIST OF SHIP

RATIONALE

1) Solar Posd (07)

inactive, non-regulated surface impoundment that originally held non-hazardous , alum sludge. Has a clay bottom and is , diked. Recorded some overflows into surface water pre-1979. No hazardous releases.

2) Amerobic Pond (08)

Non-hazardous sludge from acration lagoons (SUMU 11) was disposed from 1963-75 in this non-regulated surface impoundment. The pond has a clay bottom and has diking. No releases have been document nor observed during the VSI.

LIST OF SUMU

PATIONALE

3) Alum Clarifters (09)

250,000 gallon, active, non-regulated, concrete surface impoundment is used to partially dewater alum sludge and to coaquiate suspended solids from wastewater. Adequate freeboard is maintained. The pit, also, has a rubber liner. There is no recorded history of releases.

4) Boiler Blowdown Ponds (10)

The two boiler blowdown ponds are inactive, non-regulated earthen surface impoundments with an in-situ clay infiltration barrier. From 1963 to early 1970's the ponds received boiler blowdown water produced during steam generation. The wastewater probably had no hazardous constituents. They now hold rainwater. The VSI indicated no releases; no past releases documented.

5) Skinner Pit (12)

Reoprene-monomer process hazardous wastewater is collected in this concrete pit. It is below grade and partially covered. Pumps control both inlet and outlet. Although the VSI noted a slight erosion of the concrete and some staining around the pumps, the unit has no history of past releases. Intermittent use precludes the probability of current releases.

6) Splitter Box 14)

In 1979, this below grade, open-topped concrete, sump/tenk was installed to separate "clean" and "dirty" water flows. The clean goes into Sims Beyou through an IMDES outlet. Dirty water goes into Lake Hausenstein (SWNU 5). Pumps, an internal baffle system, and manual controls regulate the flow. There were no visible evidences of releases nor documented past releases.

7) Chemical Trench (17)

Built in 1970, this unlined, concrete trench (3'x 2'x 100') carries hazardous wastewater from the Honomer Production Area to the Skimmer Pit (55HU 12). The trench is covered by a metal plate and is controlled by valves. The unit is used intermittently for its primary purpose, but occassionally is used in the storm sewer system. There is no documented or observable evidence of releases.

LIST OF SWN

RATIONALE

2) Honomer Plant Sump

Observable or documented releases have not been noted in this concrete sump that collects spillage and run-off from the Honomer Plant. The unit is open-topped, unlined, and 2-foot curbing.

 Solvent Storage Area Sump (22) rotential spillage of oil, kerosene, and solvents are collected in this concrete sump before emptying into the Skimmer pit (SUMI 12). The area is paved, curbed, and sloped toward the sump. There was no present or past evidence of release.

10) Lake Hausenstein Lift Station (23) Run-off from process areas passes through the unlined concrete lift station into Lake Hausenstein (SUMU 6). The concrete was observed to be slightly eroded during the YSI, but no release indications were seen.

11) Tank 402 Sump (24)

Wastewater from the Maleic Production Plant containing some hazardous material is handled in this sump. It is concrete, unlined, topped by a grate, and extending 6-inches above ground. The VSI found no staining or damage to the concrete. No past releases have been documented.

12) Sump at Tank 413 (25)

Although presently inactive, the unit orginally managed wastes that were considered hazardous. It is a below grade, concrete box with a slightly eroded surface. However, no releases have been noted.

13) Brum/Tenks Cay (25)

Barrels of product and a variety of chemicals, some considered hazardous, are stored on a paved pad that slopes toward this small sump. No stains or indications of spillage were reported during the VSI. No documented releases were discovered in the PR.

14) Tank Truck Unloading Pads (28) These concrete pads that are curbed and sloped to flow into sump like drains are used for tank truck parking. Any spillage is controlled by the units construction. There are no documented releases nor evidence of standing waste, staining, or residues.

LIST OF SWOU

RATIONALE

15) Coke Storage Pad (33)

This concrete pad is used for 25-cubic yard, roll-off bins used to hold non-hazardous waste coke and assorted solid trash. The pad is reinforced, curbed on 3-sides, and sloped to a drain. During the YSI, some of the trash was lying on the pad, and there was some slight staining. However, the likelihood of a release of hazardous constituents is negligible. Historically, no releases have been reported.

16) Tank 415 (35)

This carbon steel, open top, above ground tank holds 40,000 gallons of nonhazardous sludge from the Alima Clarifiers (SUMU 9). In addition, the tank is designed with level and flow control systems. There have been no documented releases.

17) Clarifiers (36)

Units are used to clarify sludge out of treated effluent from the Aeration Ponds (SWMU 11). The liquid is discharged to surface water system through the NPDES outfall. Solids are put back in the Aeration Pond. The clarifiers are circular, concrete tanks with overflow controls. There were no visible signs of overflow or other release during the YSI. No past releases are evidenced.

18) Asbestos Poll-Off Bin (37) Asbestos waste is bagged and placed in a 25-cubic yard, unlined roll-off bin before off-site burial or destruction. The area is "yallow'flagged" as a warning. No release was documented or observed.

19) Spent Catalyst Storage Area-Monomer (40) Spent solvents and catalysts are temporarily stored in drums and/or buckets. The area is paved and drains to the Skimmer Pit (SWM 12). Pallets are used, but there is no secondary containment. No releases were documented or observed during this VSI.

20) Spent Catalyst Storage Area-Naleic (41)

Spent catalysts are temporarily stored in 55-gallon drums for disposal or recycling. Drums are set on pallets inside the Haleic Warehouse. No releases have occurred.

LIST OF SWEET

RATIONALE

21) Waste Gas Incinerator (43)

Although not RCRA regulated, this incinerator, which burns off gas from the production of maleic anhydride, is regulated by TACB. The destruction and removal efficiency is 97%; therefore, there is little possibility of releases. Hone have been documented historically.

F. SUPPLEMENTAL INFORMATION ON RORA REGULATED UNITS: 5
(Describe any problems identified or suspected from regulated units including identified releases to groundwater)

LIST OF SHIP

CONCERNS

1) Maleic Pond-Upper

This unit was closed, covered, and capped in 1981. It previously, equalized an equeous waste stream from the Maleic Anhydride Plant. Included were hazardous constituents, both organic and inorganic. Since the pend was closed with wastes left in place, without being sampled, the pend could continue to contribute to the groundwater contamination reported from down gradient groundwater monitoring wells.

2) Imhoff Pond (04)

An active surface incoundment holds 250,000 gallons of wastewater from the Haleic Aphydride Plant. Hazardous constituents are present. The unit has a recompacted clay bottom, a dike system, and is hydraulically connected to the Lower Maleic Pond (SIRRI 5). During the YSI, the dike was stained and severely eroded, volatization was observed, and an ofly sheen was seen on the pond's surface. A sample was taken adjacent to this pend. Several organics, both known and unknown, were identified. In addition, several inorganics including arsenic an chrowium were detected. These are in addition to benzene and toluene found in monitoring wells down gradient from the units.

LIST OF S短期

COMCERNS

3) Maleic Pond-Lower (5)

Hydraulically connected to the Imhoff Pond (SPHE 04), this pond handles similar wastes and should carry hazardous constituents. During the VSI, staining was noted on the bank of the pond, and gas bubbles were escaping from the bottom sediment at several locations. A sample taken one inch above the water line confirmed the presence of significant inorganic and organic constituents.

4) Storm Water Pond (Lake Hausenstein) (05) Since 1979, minor accounts of hazardous material, coming primarily from contaminated rainwater, is held in this large surface impoundment. The unit has a recompacted clay bottom and is diked to prevent overflow. There have been no documented releases, other than the benzene and toluene found in down gradient groundwater monitoring wells. However, during the SV, two samples were taken about two feet above the water level in spots of indicated staining. The results showed several organics, including hydrocarbons, and several inorganics.

5) Aeration Ponds (11)

Three basins were constructed in 1967, in natural clay with a recompacted clay bottom and adequate banking. Process and storm wastewater passes through the mechanical aerators before discharge into the clarifiers (SWHU 35) and then to the RHOES discharge outfall. It is not known if the wastewater currently processed contains hazardous constituents. During the VSI, the dikes were exposed to wave erosion and staining was observed along the margin of the unit.

II. FINDINGS

A. RECOMMENDATIONS

CONTRACTOR:

1) Contractor recommended RCRA Facility Investigations on 22 SMMUs and 5 Areas of Concern. The SMMUs are 01 through 05, 13 through 16, 18 through 20, 27, 29 through 32, 34, 38, 39, and 42. The Areas of Concern are A, C, D, E, and S.

- Batteries stored in Area of Concern "B" should be moved to an alternate storage area that is properly paved and curbed to control releases of battery acid.
- 3) Drip pans should be utilized at the Solvent and Oil Dispensing Station, Area of Concern *F*, to prevent the release of contamiments to the soil.

FPA:

- 1) The EPA concurs with the Contractor that an RfI be conducted as listed in II.A.1 (above except for the following: SWU's O1, 04, 05, 05, and 14. Areas of Concern C and D.
- 2) SMMUs 01, 04, 05, and 05 are RCRA regulated units and will be evaluated on that basis. Also, a request for closure has been filed on each; the contamination discovered during sampling should be addressed at the time. Hazardous Hastes are discussed in I. C. Samples 1-3.
- 3) SWMU 14. Splitter Box, is not recommended for an RFI because the only media likely to be affected is the surface water in Sims Bayou and that is regulated by an MPDES discharge outfall. To simplify and eliminate the possibility of discharging contaminated water into the bayou, it is recommended that all water, "clean" or "dirty" go into take Hausenstein (SHMU 06). Thus the need for the Splitter Box would be eliminated.
- 4) Areas of Goncern C and B do not fit the definition of an RFI in that both appear to involve one-time releases to the soil. That contamination took place in each case was obvious due to the pooling of oil and maleic waste, respectively, on the ground. Both areas should be cleaned up and the nature of the spill determined.

8. ADDITIONAL COMMENTS

ي ز

- 1) Several SMMUs both regulated and non-regulated, appear to be contaminated with volatile material (hydrocarbons, solvents, etc.) that could represent potential releases to the air. Among them are SMMUs 02-06, 11-13, 16, 18-20, 22, 30-32, 34, 38, and 42, plus all Areas of Concern except "B". This is supported by strong odor noted from SMMU 12, and the detection of escaping gas bubbles from several locations in SMMU 5. Of course, the potential air contamination from any one unit is slight when compared to the releases from the processing units.
- 2) RCRA-regulated units 04, 05, 06, and 11 have closure permits pending with TKC. In each case, the owner/operator hopes to demonstrate that the pund's materials do not meet the definitions of hazardous waste. Upon approval by the TKC, each unit will be restared to non-hazardous wastewater treatment service after closure has been completed.

- 3) The differential handling of "clean" versus "dirty" water is difficult because the segregation seems to be made at the Splitter Pox (SUMU 14) and is based on human decision and determined by a manual control. The RFA on SUMUS 07, 16, 18-19, 29-30, 32, 38-39 and 42 discusses the possibility of contaminated wastewater being discharged directly into the nearby surface water system. The problem could be eliminated if the use of the Splitter Pox were discontinued so that all waters would go into one of the RCRA-regulated ponds before discharge through a RPDES outfall into Sims Bayou.
- 4) Past Groundwater Monitoring has given contradictory results. Early in the program, downgradient monitoring wells disclosed the presence of benzene and toluene in the first aquifer but could not identify the unit from which the contamination came. Later, the same wells had no contaminants. This confusion should be resolved before any permits for closure are granted.

concur:	Lydia M. Boada Clista	DATE:	2/1/88

TWC Reg. No. 3/052
AUSolia 1996 te Compliance Monitoring Inspection Report
TWC Dist. 7 FIELD OPERATIONS INSPECTION COVER SHEET
EPA ID No. TADOS 4 97977 COMPRESS A LINGUE DE LA COMPRESS A LINGUE DEL LA COMPRESS A LINGUE DE LA COMP
NAME OF COMPANY John Chemica C. Carolina
The second of th
SIME LOCAMION OF COLUMN DO DE LA COLUMN DE L
COUNTY Havis TYPE OF INDUSTRY my negrene when control of market and municipal
GENERATOR CLASSIFICATION: Industrial Municipal Municipal
Part A Application submitted to the State? Affidavit of Exclusion submitted to the State? Yes No Yes No Was a written exclusion granted by TWC? Will this facility require a permit? Yes No If yes, Date
CURRENT WASTE MANAGEMENT (Haz"H", Class I NonHaz"NH", Class II-"II", Class III-"III"
Generator H, NH Treatment H Storage H, NH Disposal H Transporter
HW Exemptions (check): 90-Day Storage Other
*SQG:Total HW Generation Per Month: <100 kg 100-1000 kg
H W Facilities (circle appropriate codes): O T SI WP LT LF I TT TR WDW O
N H Facilities (circle appropriate codes): C'T SI WP LT LF I TT TR WDW O
Anomalies in the above information will be addressed by: (a) Enforcement in progress
Type of Inspection (circle): EV EB EC CL GW SA CD FO OT FE SQ SW
Inspector's Name and Title Coulume E Johnson
Inspection Participants Robert Hinelson alin Besons
Date(s) of Inspection Celdalole (clos/ob/2/10186
Approved: Signed: Consume & Johnson
District Manager Signed: Inspector Date

^{*} SQG- Small quantity generator, <1000 kg. of hazardous waste per month.

TEXAS WATER COMMISSION Solid Waste Inspection Report CONTENTS SHEET

COMPANY NA	Mr. Derka Chemreal Corp,
	Code Sheet (0814)
<u> </u>	Inspection Cover Sheet
3.	Special Inspection Cover Sheet (HB.2358)
4.	Generators Checklist
5.	Small Quantity Generator Checklist
6	General Facilities Checklist
*7.	Component Facility Checklists
	A. Containers (C) B. Tanks (T) C. Surface Impoundments (SI) D. Waste Piles (WP) E. Land Treatment (LT) F. Landfills (LF) G. Incinerators (I) H. Thermal Treatment (TT) I. Chemical, Physical, or Biological Treatment (TR) J. Other (O)
8.	Closure and Post-Closure ChecklistClosure-In-Progress Checklis
9.	Groundwater Monitoring Checklist_
10.	Notice of Violation (NOV) Letter
11.	Interoffice Memorandum (IOM)
12.	Registration
13.	Maps, Plans, Sketches
	Photographs/Slides
15.	Other (describe) Salu sheets
* If a req	puired Checklist is omitted, explain:

Texas Water Commission

INTEROFFICE MEMORANDUM

TO : Luis Campos, Hazardous and Solid Waste DATE: July 31, 1986

Liaison, Field Operations Division

THRU

FROM : Clarence E. Johnson, Field Representative,

Southeast Region, Deer Park Office

SUBJECT: Denka Chemical Corporation, Generator #31052

Introduction

Denka Chemical Corporation is currently under enforcement dating back to an enforcement referral submitted by District 7 on October 1, 1984.

Denka Chemical Corporation manufactures maleic acid and maleic anhydride. The wastewater from these plants enters the maleic pond, Imhoff pond, and stormwater pond. The Texas Water Commission believes that these wastewaters are hazardous because of pH. This wastewater is pumped from the maleic pond to the activated sludge basin, where it is introduced separately in a basin adjacent to the aerators.

Inspections were made on June 20, 1986 with Dr. Alfio Besozzi; June 25, 1986 with Mr. Robert Hinckson; and July 10, 1986 with Mr. Robert Hinckson.

Findings

The effluent of the maleic pond was sampled at a sample point located on the pipeline just outside the activated sludge control room. The following data was obtained:

	SW12305	SW03314	SW12344
Date	6/20/86	6/25/86	7/10/86
Field pH	2.03	2.12)	1.92
Lab pH	2.05	2.04)	2.20
COD mg/l	22,800	7696	3043
TOC mg/l	2923	1974	3603
Chlorides "	1231	564	263
conductivity	8204	6358	4869
T-alk mg/l	< 1	•	
Sulfate"	42	55	
NO3 NO2	0.30	95.3	
T-P04	5.47	3.60	

Luis Campos Page 2 July 31, 1986

Recommendations

The data indicates that the pH of the effluent of the maleic pond is less than pH 2 or just over pH 2. The maleic pond has to be below pH 2 at least part of the time. The low pH is due to maleic acid and not to strong mineral acids as they are not present in sufficient quantity.

Signed: Therene E

Approved:

TK/CEJ/ah


Samuel Commence of the Commenc AT MCHMENT A 213 # W: [7] **NPDES** CUTFALL 500 FCE F

NEERING - SCIENCE ---

FIGURE 1 LOCATION OF HAZARDOUS WASTE STORAGE AND HANDLING FACILITIES

- ES





AND THE PROPERTY OF THE PROPERTY OF THE PARTY OF THE PART NEERING-SCIENCE - ATTACHMENT A FIGURE 1 LOCATION OF HAZARDOUS WASTE STORAGE AND HANDLING FACILITIES ADMINISTRATION TANK-175 TANK-128 WAREHOUSE AERATION PENDS 604 DRUM STORAGE (NOT HWM FACILITY) NPDES QUTFALL こしのうだひ. IMHOFF FOND (NOT HWM FACILITY) UPPER SECTION TANK 413 TANK **⊘**5 STORMWATER LOWER POND MALEIC SECTION 500 FEET Ø3 BNYOUS MONITORING WELLS SILAS

An employee owned company

December 14, 1984

DEC 17'84

ENFORCEMENT AND FIELD OPERATIONS

Mr. Paul Lewis TEXAS DEPARTMENT OF WATER RESOURCES P. O. Box 13087, Capitol Station Austin, Texas 78711

Dear Mr. Lewis:

Enclosed you will find the latest quarterly data from the Denka Chemical Corporation groundwater monitoring program. As we discussed during our last meeting, the following analyses were run on the samples: benzene, toluene, pH, TOC, TOX, and specific conductance. As you will note by the analyses, all parameters are in line with previous analyses.

Should you require additional information, please do not hesitate to contact me.

Very truly yours,

Robert E. Hinkson Manager of Quality Assurance

bf Enclosure

DENKA CHEMICAL CORPORATION

Water Level Readings

Well Number	Reading in Feet Above MSL on 9/7/84	Reading in Feet Above MSL on 11/8/84
1	5.50	7.60
2	8.69	9.89
3.	16.38	17.28
4	16.62	18.00
5a	3.05	3.90
21	4.40	5.30
22	3.87	5.32

713 - 488-1810



LAB ANALYSIS REPORT

	GEO-ASSOCIATES 10700 CORPORATE DRIVE, SUIT 106 HOUSTON, TX 77477 REPORT DATE:	11/30/84	VENDOR NO: VORY ORDER NO:	
r and verte	MRUNE BUILDING	•	DATE RECEIVED:	11/09/67
	SAMPLE IDENTIFICATION: WELL 1 (D	ENKA	11/09	
7557	DETERMINATION	RESULTS .	UNITS	
9V93	Benzene	(10	υς/'	

VEYEARIAH, 19A	RESULTS .	UNITS
Benzene	(10	 ຍຽ/'
Toluene		υ <u>ς</u> / ¹
RCRA GROUNDWATER-CONTAMINATION		05,
Carbon, Total Organic (700)	22	RE/
Halogens, Total Organic (TOX)	890	υ <u>ς</u> / 1
Hq.	6.7	-
	6400	บสถ้อร/ตุล
Uniorise (C1)	2300	B \$/1
	Toluene RCRA GROUNDWATER-CONTAMINATION Carbon, Total Organic (TOC) Halogens, Total Organic (TOX)	Benzene (10 Toluene (10 RCRA GROUNDWATER-CONTAMINATION Carton, Istal Organic (TOC) 22 Halogens, Total Organic (TOX) 890 pH 6.7 Specific Conductance # 250 6400





LAB ANALYSIS REPORT

ADDRESS:	10700 CORPORATE ORIVE, SUIT 106 HOUSTON, TX 77477		NUS SAMPLE NO: VENDOR NO:	721501 24110511 05891400
ATTENTION:	RETAYNO 5. POLLARD	PORT DATE: 11/30/84 >	WORK ORDER NO: DATE RECEIVED:	
	SAMPLE IDENTIFICATION:	WELL 2 (DENKA)	11/09	
TEST	DETERMINATION	RESULTS	UNITS	
9003	Berizerie	71	ug/1	

71	ug/1
110	ug/3
	-
30	aç/?
1000	ug/?
6.5	-
7400	umhos/cm
290 0	mg/?
	30 1000 6.5 7400

713 - 488-1810



LAB ANALYSIS REPORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10700 CORPORATE DRIVE, SUIT 106

HOUSTON,

TX 77477

REPORT DATE: 11/27/84

MUS CLIENT NO: MUS SAMPLE NO: 24110411 VENDOR NO:

721501 05891400

WORK ORDER NO:

55680

DATE RECEIVED:

11/08/84

ATTENTION: WAYNE S. POLLARD

SAMPLE IDENTIFICATION: WELL 3 (DENKA)

11/08

TEST	DETERMINATION	RESULTS	UNITS
			
0003	Benzene	(10	υg/1
0V25	Toluene	(10	ug/1
W310	RCRA GROUNDWATER-CONTANINATION		-3.
W 100	Carbon, Total Organic (TOC)	5	mq/l
W315	Halogens, Total Organic (TDX)	86	υq/1
W490	pH	6.3	 _
¥700	Specific Conductance 8 250	2,900	Unhos/ca
W130	Chloride (C1)	510	mg/1





LAB ANALYSIS REPORT

CLIERT NAME: GEO-A ADDRESS: 10700

ATTENTION:

GEO-ASSOCIATES

10700 CORPORATE DRIVE, SUIT 106

HOUSTON,

TX 77477

REPORT DATE: 11/27/84

MUS CLIENT NO: MUS SAMPLE NO: 721501 24110412

WENDOR NO:

05891400

WORK ORDER NG: DATE RECEIVED: 55680 11/08/84

WAYNE S. POLLARD

SAMPLE IDENTIFICATION: WELL 4 (DENKA)

11/08

TEST	DETERMINATION	RESULTS	UNITS
			
0V03	Benzene	(10	ug/ 1
0V25	Tolvene	⟨ 10	սց/1
W310	RCRA GROUNDWATER-CONTAMINATION		-
₩100	Carbon, Total Organic (TOC)	2	mq/l
W315	Halogens, Total Organic (TOX)	480	1/وں
₩490	pH	6.7	-
₩700	Specific Conductance 8 250	1,200	umhos/ca
¥130	Chloride (C1)	90	a c/1





LAB ANALYSIS REPORT

CLIENT NAME:

ATTENTION:

GEB-ASSOCIATES

WAYNE S. POLLARD

ADDRESS:

10700 CORPORATE DRIVE, SUIT 106

HOUSTON,

TX 77477

.

MUS CLIENT NO: MUS SAMPLE NO: 721501 24110413

WENDOR NO:

05891400

WORK ORDER NO:

55680

REPORT DATE: 11/27/84

DATE RECEIVED:

11/08/84

SAMPLE IDENTIFICATION: WELL 5A (DENKA)

11/08

TEST	DETERMINATION	RESULTS	UNITS
DV03	Benzene	(10	υg/1
0V25	Toluene	(10	ug/}
W310	RCRA GROUNDWATER-CONTANINATION		-
₩100	Carbon, Total Organic (TOC)	(1	mq/1
W315	Halogens, Total Organic (TOX)	190	υ <u>σ</u> /1
₩490	рН	6.8	-
W700	Specific Conductance @ 250	750	umhos/cm
W 130	Chloride (C1)	93	m g/1

713 - 488-1810



LAB ANALYSIS REPORT

CLIENT NAME:

GED-ASSOCIATES

ADDRESS:

10700 CORPORATE DRIVE, SUIT 106

HOUSTON,

TX 77477

REPORT DATE: 11/27/84

NUS CLIENT NO: NUS SAMPLE NO: 721501

VENDOR NO:

24110414 05891400

WORK ORDER NO: DATE RECEIVED: 55680 11/08/84

ATTENTION:

WAYNE S. POLLARD

SAMPLE IDENTIFICATION: WELL 21 (DENKA)

11/08

TEST	DETERMINATION	RESULTS	UNITS
0403	8enzene	(10	υ α/]
0V25	Toluene	(10	ug/l
₩310	RCRA GROUNDWATER-CONTAMINATION	,	43 , ,
W100	Carbon, Total Organic (TDC)	6	ac/1
¥315	Halogers, Total Organic (TOX)	100	υq/1
W490	pH J	6.9	-g
₩700	Specific Conductance 8 250	1,900	umhos/cm
¥130	Chloride (C1)	450	ag/1

CONNENTS:





LAS ANALYSIS REPORT

CLIENT NAME: ADDRESS: ATTENTION:	GED-ASSOCIATES 10700 CORPORATE DRIVE, SUIT 106 HOUSTON, TX 77477 REPORT	DATE: 11/30/9#	NUS CLIENT NO: NUS SAMPLE NO: VENDOR NO: WORK ORDER NO: DATE RECEIVED:	721501 24110512 05291400 55680 11/09/84
,	SAMPLE IDENTIFICATION: WELL 22 (DENKA)		11/09	
FEST	DETERMINATION	RESULTS	UNITS	
9V03 0V25 W310	Benzene Toluene RCRA GREUNDWATER-CONTAMINATION	(10 (10	ug/! ug/1	
#100 #315 #490 - #700 #130	Carbon, Total Organic (TOC) Halogens, Total Organic (TOX) p2 Specific Conductance 2 258 Chloride (C1)	2 240 7.2 1300 280	8.5/1 បច្ច/1 បត្តកំបន់/cti 85/1	





DENKA Chemical Corporation 8701 Park Place Blvd. 77017 • P.O. Box 87220 Houston, Texas 77287 (713) 477-8821 Telex 77 46 96

May 29, 1984

RECEIVED

JUN 0 1 '84

Mr. Paul F. Lewis Texas Department of Water Resources P. O. Box 13087, Capitol Station Austin, Texas 78711

ENFORCEMENT AND FIELD OPERATIONS
SWR 3/052

Dear Mr. Lewis:

Status Report - Groundwater Quality Assurance Plan

The following letter is a status report of Denka Chemical Corporation's Groundwater Quality Assurance Plan. At the end of the first year of groundwater monitoring, compilation of the data indicated some significant differences between Denka's upstream well and the four downstream monitoring wells. As a result of this significant difference, Denka submitted a Groundwater Quality Assurance Plan which was accepted by the Texas Department of Water Resources. The first two well samplings of this plan have been accomplished and this status report will summarize the results of those samplings.

Our Groundwater Quality Assurance Plan had four objectives: The first was to determine levels of contamination in groundwater at the Denka site; the second was to determine the extent of contamination; the third objective was to determine the direction of groundwater flow; the final objective was to determine, if possible, the source of contamination. In order to accomplish these objectives, two additional monitoring wells were drilled. The purpose of these two wells was to monitor the aquifer below those aquifers deemed contaminated by the original year's well water monitoring.

The two new wells were located adjacent to two wells used in the original monitoring program. the two original wells were screened in the 5- to 10-foot above mean sea level depth. The two new wells were screened at 45 to 50 feet below mean sea level. One of the original wells was located at the perimeter of the plant; the second one was near the maleic unit within the boundaries of the plant. The purpose of these two wells was to measure the extent of contamination in the 45- to 50-foot below sea level aquifer.

Our Groundwater Quality Assurance Plan called for component analysis to determine the materials most likely to show up in contaminated water sources from the Denka plant. Specific materials that Denka felt were possible contaminants included maleic acid, fumaric acid, 3,4-dichlorobutene-1, 1,4-dichlorobutene-2, chloroprene, 1-chlorobutadiene, and xylene.

The basis for analyses of these materials was ion chromatography and mass spectroanalysis. The well samples were analyzed by NUS Corporation. There is a question in the minds of chemists at NUS whether maleic acid and fumaric

acid can be analyzed by these methods. At this point, no approved method of analysis of these materials has been found.

Groundwater samples analyzed by reconstructed ion chromatographs indicate volatile materials of various types as distinct peaks on the chromatographs. The specific peaks were identified by mass spectroanalysis. The data received from the mass spec analysis was compared against 30,000 materials whose spectrum is known. The fact that none of the significant RIC peaks were identified as the components that Denka felt might be possible contaminants indicate that these compounds were not present in significant or measurable amounts. The materials that were identified are shown in the attached table. Most of these materials are shown to be insignificant quantities or within reasonable analytical limits. Of the materials which did appear to be significant, none were compounds which would reasonably be expected to come from the Denka facility. This is further indicated by the fact that these components also showed up in Denka's upstream monitoring well.

Indicated parameters were run on all seven wells. As shown by the results on the attached table, the indicated parameters for the shallow wells are approximately the same as they have been during the first year's sampling. These parameter analyses for the two wells show very good water quality.

The conclusions that we have reached from the results of the Groundwater Quality Assurance Program at this point are as follows:

- 1. Groundwater quality in the uppermost aquifer remains approximately the same as it has for the past year.
- 2. Groundwater quality in the two new wells screened at 45 to 50 feet below mean sea level is good.
- 3. Materials identified in the upper aquifer are materials that would not reasonably be expected to originate at the Denka facility.
- 4. Components which could be expected to be in contaminated aquifers from the Denka facility have not been detected.

The third quarter groundwater sampling will be made approximately mid-June. As soon as the results of this sampling have been tabulated, a final report will be issued.

Should you have any questions concerning the data submitted in this status report, or any other aspect of our Groundwater Quality Assurance Plan, please do not hesitate to contact me.

Very truly yours,

R. E. Hinkson

Manager of Quality Assurance



CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

ANPLE IDENT	TIFICATION		NUS SAMPLE NO	RESULTS	UNIT
WELL 1 (DE)	RKA)	12/05	23120214		
0110 (JOLATILES-PP IN WATER				
0V01	Acrolein			₹ 100	r\gu
8V02	Acrylonitrile			(100	սց/1
0003	Benzene			(10	υ <u>σ</u> /1
8V05	Bromoform			(10	υ <u>σ</u> /1
9000	Carbon Tetrachloride			(10	ug/l
8V07	Chlorobenzene			₹ 10	บฐ/โ
80V0	Chlorodibromomethane			(10	υ <u>σ</u> /1
0V09	Chloroethane			(10	ug/1
0V10	2-Chloroethylvinyl Ether			(10	υ <u>σ</u> /1
0V11	Chloroform			(10	υg/1
0V12	Dicklorobromomethane			⟨ 10	ug/1
0V14	1,1-Dichloroethane			⟨ 10	υ <u>υ</u> /]
0V15	1,2-Dichloroethane			(10	υg/1
0V16	1,1-Dichloroethylene			(10	υ <u>σ</u> /]
0V17	1,2-Dichloropropane			(10	υg/1
0V18	1,3-Dichloropropylene			(10	υ <u>σ</u> /1
0V19	Ethylbenzene			(10	υg/1
0V20	Methyl Browide			(10	υ <u>σ</u> /1
0V21	Methyl Chloride			(10	υ <u>σ</u> /1
0V22	Methylene Chloride			(10	υ <u>σ</u> /]
0V23	1,1,2,2-Tetrachloroethane			₹ 10	υg/1
0V24	Tetrachloroethylene(Perchloro	3)		(10	ug/1
0V25	Toluene		•	⟨ 10	ug/1
0V26	1,2-Trans-Dichloroethylene			₹ 10	υg/1
0V27	1,1,1-Trichloroethane			(10	ug/1
0V28	1,1,2-Trichloroethane			⟨ 10	υg/1
0V29	Trichloroethylene			(10	ug/1
0V31	Vinyl chloride			⟨ 10	υ <u>σ</u> /1
	CIDS - PP IN WATER				
0A01	2-Chlorophenol			(10	υg/1
0A02	2,4-Dichlorophenol			(10	υ <u>σ</u> /1



CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDENT	TIFICATION	NUS SAMPLE NO	RESULTS	נאט.
0A03	2,4-Dimethylphenol		· 10	 '\pu
0A04	4,ó-Dinitro-o-cresol		(10	บฏ/
0A05	2,4-Dinitrophenol		(10	ug/
0A06	2-Nitrophenol		(10	ug/
0A07	4-Nitrophenol		(10	ug/
80AD	p-Chloro-a-cresol		(10	ug/
0A09	Pentachlorophenol		(10	บฐ/
0A10	Phenol	•	₹ 10	-s- /פַט
0A11	2,4,6-Trichlorophenol		(10	ug/
0E30	Acid Extraction-Water			-3.
3130 E	ASE NEUTRALS - PP IN WATER			
0801	Acenaphthene		(10	ug/
0802	Acenaphthylene		(10	/פַט
0803	Anthracene		⟨ 10	ug/
0804	Benzidine		(10	υg/
0805	Benzo(a)Anthracene		(10	ug/
0B06	Benzo(a)Pyrene		(10	ບ໘/
0807	3,4-Benzofluoranthene		(10	υg/
DB08	Benzo(ghi)Perylene		(10	ug/
0809	Benzo(k)Fluoranthene		(10	ug/
0810	Bis(2-Chloroethoxy)Methane		⟨ 10	บฐ/
0811	Bis(2-Chloroethyl)Ether		(10	ug/
0812	Bis(2-Chloroisopropyl)Ether		(10	υg/
0813	Bis(2-Ethylhexyl)Phthalate		(10	ug/
OB14	4-Bromophenyl Phenyl Ether		(10	ug/
0815	Butyl Benzyl Phthalate		⟨ 10	υg/
0B16	2-Chloronaphthalene		(10	บูดู/
0B17	4-Chlorophenyl Phenyl Ether		(10	บฐ/
0B18	Chrysene		(10	ug/
0B19	Dibenzo(a,h)Anthracene	•	(10	υg/
0820	1,2-Dichlorobenzene		(10	ug/
0B21	1,3-Dichlorobenzene		(10	-3. Ug/
0822	1.4-Dichlorobenzene		(10	ug/
0823	3,3'-Dichlorobenzidine		⟨ 10	ug/





CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDENT	IFICATION		NUS SAMPLE NO	RESULTS	UNITS
0B24	Diethyl Phthalate			(10	 ug/1
0825	Dimethyl Phthalate			⟨ 10	υ <u>α</u> /1
0826	Di-N-Butyl Phthalate			(10	υσ/1
0827	2,4-Dinitrotoluene			(10	ug/1
0828	2,6-Dinitrotoluene			(10	υg/1
0829	Di-N-Octyl Phthalate			(10	ו/פַט
0830	1,2-Diphenylhydrazine(Azobz)			⟨ 10	υ <u>σ</u> /1
0831	Fluoranthene	•		(10	บฐ/1
0832	Fluorene			(10	ו/פַע
0B33	Hexach lorbenzene			(10	υg/1
0834	Hexachlorobutadiene			(10	υ <u>σ</u> /1
0835	Hexachloro-cyclopentadiene			(10	υg/1
0836	Hexachloroethane			(10	υg/1
0B37	Indeno(1,2,3 cd)Pyrene			(10	υ <u>σ</u> /1
0B38	Isophorone			(10	ug/1
0839	Naphthalene			(10	บg/1
0840	Ni trobenzene			(10	υ <u>σ</u> /1
0B41	N-Nitrosodimethylamine			(10	υg/1
0842	N-Nitrosodi-N-Propylamine			(10	υg/1
0B43	N-Nitrosodiphenylmine			(10	ו/פֵע
0844	Phenanthrene			(10	ug/1
0B45	Pyrene			(10	υ <u>σ</u> /1
0846	1,2,4-Trichlorobenzene			(10	υ g /1
0E25	Base Neutral Extraction-Water				- 3
0636 G	C/MS Additional Identificatio				N/A
₩310 R	CRA GROUNDWATER-CONTAMINATION				
W100	Carbon, organic (C)			23	ng/1
W315	Halogens, Total Organic (TOX)			280	υq/1
W490	pH			6.6	
W700	Specific Conductance @ 25 C			7,200	unhos/d
LL 2 (DEN	(A) 12/	/05	23120215		
0110 V	OLATILES-PP IN WATER				•
0001	Acrolein			(100	ug/1





CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

721501

NUS CLIENT NO:

REPORT DATE: 12/28/83

ATTENTION: WAYNE S. POLLARD

DATE RECEIVED:

PLE IDEN	ITIFICATION	NUS SAMPLE NO	RESULTS	UNITS
0V02	Acrylonitrile		(100	 υg/1
6V03	8enzene		24	υ <u>σ</u> /1
0005	Broadform		(10	υ <u>σ</u> /1
9006	Carbon Tetrachloride		(10	սց/1
0007	Ch lorobenzene		(10	υg/1
8040	Chlorodibromomethane		⟨ 10	ug/1
0009	Chloroethane		(10	ug/1
DV10	2-Chloroethylvinyl Ether		⟨ 10	υg/1
0V11	Chloroform		(10	υ <u>σ</u> /1
0V12	Dichlorobromomethane		(10	ug/l
0V14	1,1-Dichloroethane		(10	υ <u>σ</u> /1
0V15	1,2-Dichloroethane		(10	ug/T
0V16	1,1-Dichloroethylene		(10	υ <u>σ</u> /1
8V17	1,2-Dichloropropane		(10	սց/1
0V18	1,3-Dichloropropylene		⟨ 10	υ <u>σ</u> /1
0V19	Ethylbenzene		13	บฐ/1
0V20	Methyl Bromide		(10	υg/1
0V21	Methyl Chloride		(10	บฐ/1
0V22	Methylene Chloride		(10	บฏิ/ไ
0V23	1,1,2,2-Tetrachloroethane		(10	υg/1
0V24	Tetrachloroethylene(Perchloro)		(10	υ <u>σ</u> /1
0V25	Toluene		39	υ <u>σ</u> /1
8V26	1,2-Trans-Dichloroethylene		(10	υ g/]
0V27	1,1,1-Trichloroethane		⟨ 10	ug/1
0V28	1,1,2-Trichloroethane		(10	υ <u>σ</u> /1
0V29	Trichloroethylene		(10	ug/1
0V31	Vinyl chloride		(10	υg/1
3120	ACIDS - PP IN WATER			- 3
8A01	2-Chlorophenol		(10	ug/1
BA02	2,4-Dichlorophenol		(10	ug/1
E0A8	2,4-Dimethylphenol		(10	ug/1
0A04	4,6-Dinitro-o-cresol		(10	ug/1
0A05	2,4-Dinitrophenol		(10	ug/1
0A06	2-Nitrophenol		(10	ug/}



CLIENT NAME:

GED-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDENT	IFICATION	NUS SAMPLE NO	RESULTS	UNIT
0A07	4-Nitrophenol	**************************************	(10	 [/pu
80A0	p-Chloro-m-cresol		(10	ug/1
0A09	Pentachlorophenol		(10	υg/1
0A10	Phenol		(10	υ <u>σ</u> /1
0A11	2,4,6-Trichlorophenol		(10	υ <u>σ</u> /1
0E30	Acid Extraction-Water			- 3.
D130 B	ASE NEUTRALS - PP IN WATER			
0801	Acenaphthene	•	(10	Ug/1
0802	Acenaphthylene		(10	υ <u>g</u> /1
0B03	Anthracene		(10	υ <u>σ</u> /1
0B04	Benzidine		(10	ug/1
0805	Benzo(a)Anthracene		(10	υg/1
0806	Benzo(a)Pyrene		(10	υg/1
0807	3,4-Benzofluoranthene		(10	ug/1
0808	Benzo(ghi)Perylene		(10	ug/1
0809	Benzo(k)Fluoranthene		(10	υ g /]
0B10	Bis(2-Chloroethoxy)Methane		(10	սց/1
0B11	Bis(2-Chloroethyl)Ether		(10	ug/1
0812	Bis(2-Chloroisopropyl)Ether		⟨ 10	υg/1
0813	Bis(2-Ethylhexyl)Phthalate		27	ug/1
0B14	4-Bromophenyl Phenyl Ether		(10	ug/
0B15	Butyl Benzyl Phthalate		(10	ug/1
0B16	2-Chloronaphthalene		(10	υ <u>σ</u> /1
0817	4-Chlorophenyl Phenyl Ether		(10	ug/1
0B18	Chrysene		⟨ 10	บฐ/1
0819	Dibenzo(a,h)Anthracene	•	(25	υ <u>σ</u> /1
0820	1,2-Dichlorobenzene		⟨ 10	ug/1
0821	1,3-Dichlorobenzene		(10	υg/1
0822	1,4-Dichlorobenzene		(10	սց/1
0823	3,3'-Dichlorobenzidine		(10	υg/1
0824	Diethyl Phthalate		(10	-3. 2g
0B25	Dimethyl Phthalate		(10	ug/1
0826	Di-N-Butyl Phthalate		(10	ug/]
0827	2,4-Dinitrotoluene		(10	ug/1





LAE ANALYSIS REFORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDENT	TFICATION	NUS SAMPLE NO	RESULTS	UNITS
0828	2,6-Dinitrotoluene		(10	 ug/1
0B29	Di-N-Octyl Phthalate		₹ 10	บฐ/ไ
0830	1,2-Diphenylhydrazine(Azobz)		(10	υα/1
OB31	Fluoranthene		(10	บฏ/1
0832	Fluorene		(10	υ q /1
0833	Hexach Torbenzene		₹ 10	υ <u>σ</u> /1
0834	Hexachlorobutadiene	•	(10	ug/1
0835	Hexachloro-cyclopentadiene	•	(10	ug/1
0836	Hexachloroethane		(10	υ q /1
0837	Indeno(1,2,3 cd)Pyrene		(10	u <u>a</u> /1
0838	Isophorone		(10	ug/1
0B39	Naphthaiene		< 10	บฐ/1
0840	Ni trobenzene		⟨ 10	ug/1
0B41	N-Hitrosodimethylamine		⟨ 10	υg/1
0842	N-Nitrosodi-N-Propylamine		(10	υ <u>σ</u> /1
0843	N-Nitrosodiphenylmine		⟨ 10	ug/1
OR44	Phenanthrene		(10	υ <u>σ</u> /1
0845	Pyrene		< 10	υ <u>σ</u> /1
0R46	1,2,4-Trichlorobenzene		(10	υg/1
0E25	Base Neutral Extraction-Water			
0G36 G	C/MS Additional Identificatio			N/A
W310 R	CRA GROUNDWATER-CONTAMINATION		•	
W100	Carbon, organic (C)		38	ng/1
W315	Halogens, Total Organic (TOX)		1000	ו/פַט
W490	pH		6.3	-
W700	Specific Conductance € 25 C		7,800	umhos/e
LL 3 (DEN	KA) 12/05	23120216		
0110 V	OLATILES-PP IN WATER			
0V01	Acrolein		(100	υg/1
0V02	Acrylonitrile		< 100	ug/1
8003	Benzene		(10	ug/1
8705	Bronoform		₹ 10	ug/1
9000	Carbon Tetrachloride		(10	υ q/ 1





713 - 488-1810

LAB ANALYSIS REPORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

LE IDE	NTIFICATION	NUS SAMPLE NO	RESULTS	UNIT
8407	Ch 1 or obenzene		(10	ug/1
8040	Chlorodibromomethane		₹ 10	89/1
0009	Chloroethane		(10	υg/1
DV10	2-Chloroethylvinyl Ether		(10	υ <u>σ</u> /1
OV11	Chloroform		(10	υ <u>σ</u> /1
0V12	Dichlorobromomethane		(10	ו/מט
0V14	1,1-Dichloroethane		(10	υ <u>α</u> /1
0V15	1,2-Dichloroethane	•	(10	บฐ/ไ
0V16	1,1-Dichloroethylene		(10	υ <u>σ</u> /1
0V17	1,2-Dichloropropane		(10	սց/1
0V18	1,3-Dichloropropylene		(10	υ <u>σ</u> /1
0V19	Ethylbenzene		(10	บฐ/โ
0V20	Hethyl Bromide		⟨ 10	υ <u>σ</u> /1
0V21	Hethyl Chloride		(10	υg/1
0V22	Methylene Chloride		(10	ug/1
0V23	1,1,2,2-Tetrachloroethane		(10	υg/1
0V24	Tetrachloroethylene(Perchloro)		(10	ug/1
6V25	Toluene		(10	υg/1
0026	1,2-Trans-Dichloroethylene		(10	υg/1
0V27	1,1,1-Trichloroethane		⟨ 10	ug/1
0V28	1,1,2-Trichloroethane		(10	ug/1
0V29	Trichloroethylene		240	υ <u>σ</u> /1
0V31	Vinyl chloride		(10	. ug/1
120	ACIDS - PP IN WATER			
0A01	2-Ch1orophenol		(10	υg/1
0A02	2,4-Dichlorophenol	•	(10	υ g/ 1
C0A0	2,4-Dimethylphenol		(10	υ <u>σ</u> /1
BA04	4,6-Dinitro-o-cresol		⟨ 10	บฐ/ไ
0A05	2,4-Dinitrophenol		(10	ug/1
80A0	2-Nitrophenol		(10	սց/1
0A07	4-Nitrophenol		(10	υ <u>σ</u> /1
80AB	p-Chloro-m-cresol		(10	ug/1
0A09	Pentach1oropheno1		(10	υg/1
0A10	Phenol		(10	ug/ì



713 - 488-1810

REPORT LAE ANALYSIS

CLIENT NAME:

GEO-ASSOCIATES

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

ADDRESS:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	UNI
0A11	2,4,6-Trichlorophenol	# F-16-0 15-15 15-15-15-15-15-15-15-15-15-15-15-15-15-1	(10	ug/
DE30	Acid Extraction-Water			-2.
0130	BASE NEUTRALS - PP IN WATER			
0801	Acenaphthene		(10	ug/
0B02	Acenaphthylene		(10	ug,
0803	Anthracene		(10	υg
0804	Benzidine		(10	បច្ច
0R05	Benzo (a) Anthracene	•	(10	បច្ចុ
0806	Benzo(a)Pyrene		₹ 10	บฐ
0B07	3,4-Benzofluoranthene		(10	บอ
0808	Benzo(ghi)Perylene		⟨ 10	ug.
0809	Benzo(k)Fluoranthene		(10	υg
0810	Bis(2-Chloroethoxy)Methane		< 10	បច្ច.
OB11	Bis(2-Chloroethyl)Ether		(10	บฎ
0812	Bis(2-Chloroisopropyl)Ether	-	(10	ug
0813	Bis(2-Ethylhexyl)Phthalate		(10	ນ໘ຸ
0B14	4-Bromophenyl Phenyl Ether		(10	បច្ច
0815	Butyl Benzyl Phthalate		₹ 10	ug.
0B16	2-Chloronaphthalene		⟨ 10	บฐ
0817	4-Chlorophenyl Phenyl Ether		(10	บตู
0B18	Chrysene	•	⟨ 10	Uģ.
0B19	Dibenzo(a,h)Anthracene		(10	υg
0B20	1,2-Dichlorobenzene		₹ 10	បច្ច
0B21	1,3-Dichlorobenzene		(10	ug,
0B22	1,4-Dichlorobenzene		₹ 10	ug.
0B23	3,3'-Dichlorobenzidine		(10	ug/
0B24	Diethyl Phthalate		₹ 10	vg.
0825	Dimethyl Phihalate		(10	บฎัง
0826	Di-N-Butyl Phthalate		(10	ug.
0827	2,4-Dinitrotoluene	•	(10	บฐ
0828	2,6-Dinitrotoluene		(10	មិច្ច
0829	Di-N-Octyl Phthalate		(10	יפט
0830	1,2-Diphenylhydrazine(Azobz)		(10	បច្ច.
0831	Fluoranthene		(10	υg



CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501


REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED: 12/06/83

AMPLE IDENT	TFICATION		NUS SAMPLE NO	RESULTS	UNITS
0832	Fluorene			⟨ 10	ug/1
0B33	Hexachlorbenzene		1	₹ 10	υ g /]
8834	Hexachlorobutadiene			(10	ug/1
0835	Hexachloro-cyclopentadiene	?		(10	ug/1
.0839	Hexachloroethane			(10	υ σ /1
0837	Indeno(1,2,3 cd)Pyrene			(10	ug/1
0B38	Isophorone			(10	υ <u>σ</u> /1
QB39	Naphthalene			₹ 10	υ <u>σ</u> /1
0B40	Ni trobenzene			(10	υ <u>σ</u> /1
OB41	N-Nitrosodimethylamine			(10	υg/1
DB42	N-Nitrosodi-N-Propylamine			₹ 10	υg/1
0B43	N-Nitrosodiphenylmine			(10	บฐ/ไ
0B44	Phenanthrene		•	(10	ug/1
0845	Pyrene			(10	บฐ/1
0B46	1,2,4-Trichlorobenzene			(10	υg/1
0E25	Base Neutral Extraction-Wa	ter			- 2
	C/MS Additional Identificati CRA GROUNDWATER-CONTANINATIO	_			N/A
W100	Carbon, organic (C)	vn		11	n = /?
W315	Halogens, Total Organic (1	'AY)		170	ng/1 ug/1
W490	Ha	U//		6.4	ug/ i
¥700	Specific Conductance @ 25	C		2,900	umhos/c
ELL #4 (DE		12/05	23120217		
	OLATILES-PP IN WATER				
0001	Acrolein		•	< 100	ug/1
0V02	Acrylonitrile			(100	ug/1
0003	Benzene			(10	υg/1
8 V0 5	Bromoform			(10	ug/1
9040	Carbon Tetrachloride			₹ 10	υg/1
0V07	Chlorobenzene			₹ 10	ug/1
8070	Chlorodibromomethane			(10	υ <u>σ</u> /1
0009	Chloroethane			(10	บดี/ไ
8V10	2-Chloroethylvinyl Ether			(10	υg/1





713 - 488-1810

LAB ANALYSIS REPORT

CLIENT NAME:

GED-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION: WAYNE S. POLLARD

DATE RECEIVED: 12/06/83

PLE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	TINU
OV11	Chloreform		(10	ug/1
0V12	Dichlorobromomethane		(10	υg/
0V14	1,1-Dichloroethane		(10	υg/1
6V15	1,2-Dichloroethane		(10	/פַט
0V16	1,1-Dichloroethylene		(10	ບ໘/
0V17	1,2-Dichloropropane		(10	บฏ/
0V18	1,3-Dichloropropylene		(10	ug/
0V19	Ethylbenzene	-	(10	บฐ/
8V20	Methyl Browide		(10	υg/"
0V21	Methyl Chloride		⟨ 10	บฐ/
0V22	Methylene Chloride		10	ug/
0V23	1,1,2,2-Tetrachloroethane		(10	บฐ/
0724	Tetrachloroethylene(Perchloro)		(10	/טַט
0V25	Toluene		(10	ug/
0759	1,2-Trans-Dichloroethylene		(10	υg/
8V27	1,1,1-Trichloroethane		(10	ug/
0V28	1,1,2-Trichloroethane		(10	ug/
0V29	Trichloroethylene		240	ug/
6V31	Vinyl chloride		(10	/פַט
0120	ACIDS - PP IN WATER			•
DA01	2-Chlorophenol		(10	ug/
0A02	2,4-Dichlorophenol		₹ 10	บฐ/
0A03	2,4-Dimethylphenol		(10	υg/
0A04	4,6-Dinitro-o-cresol		(10	ug/
0A05	2,4-Dinitrophenol		(10	/פט
0A06	2-Nitrophenol	•	(10	ug/
0A07	4-Nitrophenol		(10	υg/
80A0	p-Chloro-m-cresol		(10	บฐ/
BA09	Pentachlorophenol		(10	υg/
8A10	Phenol		⟨ 10	ug/
0A11	2,4,6-Trichlorophenol		(10	υq/
0E30	Acid Extraction-Water			-2.
0130	BASE NEUTRALS - PP IN WATER			
GB01	Acenaphthene		(10	υg/'

Houston, TX 77058



LAE ANALYSIS REPORT

REPORT DATE: 12/28/83

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

DATE RECEIVED:

721501

12/06/83

ATTENTION:

0834

0835

Hexachlorobutadiene

Hexachloro-cyclopentadiene

WAYNE S. POLLARD

LE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	UNITS
0802	Acenaphthylene		(10	ug/1
0803	Anthracene		(10	ug/1
0804	Benzidine		(10	υg/1
8805	Benzo(a)Anthracene		(10	υ <u>σ</u> /1
0806	Benzo(a)Pyrene		(10	υg/1
0B07	3,4-Benzofluoranthene		⟨ 10	ug/1
0808	Benzo(ghi)Perylene		(10	บฐ/1
0B09	Benzo(k)Fluoranthene		(10	ug/1
0B10	Bis(2-Chloroethoxy)Hethane		(10	υ <u>σ</u> /1
OB11	Bis(2-Chloroethy))Ether		(10	υg/1
0B12	Bis(2-Chloroisopropy1)Ether		(10	υg/1
0813	Bis(2-Ethylhexyl)Phthalate		52	υg/1
OB14	4-Bromophenyl Phenyl Ether		(10	υg/1
0815	Butyl Benzyl Phthalate		(10	ug/1
0816	2-Chloronaphthalene		(10	ug/1
0B17	4-Chlorophenyl Phenyl Ether		(10	υg/]
OB18	Chrysene		(10	սց/1
0B19	Dibenzo(a,h)Anthracene		(10	υg/1
0820	1,2-Dichlorobenzene		(10	υg/1
0B21	1,3-Dichlorobenzene		(10	υg/1
0822	1,4-Dichlorobenzene		⟨ 10	υg/1
0823	3,3'-Dichlorobenzidine		(- 10	ug/1
0824	Diethyl Phthalate		(10	υ <u>σ</u> /1
0825	Dimethyl Phthalate		⟨ 10	υ <u>σ</u> /1
0826	Di-N-Butyl Phthalate		< 10	บฐ/1
0827	2,4-Dinitrotoluene		(10	սց/1
0B28	2,6-Dinitrotoluene		(10	υ <u>σ</u> /1
0B29	Di-N-Octyl Phthalate		(10	υ <u>σ</u> /1
0830	1,2-Diphenylhydrazine(Azobz)		(10	ug/1
0B31	Fluoranthene		⟨ 10	υg/1
0832	Fluorene		(10	υg/1
0833	Hexachlorbenzene		⟨ 10	ו/פַט
0074	Harris and Language and Salar at Salar at			_

(10

(10

Ug/1

υg/1

Houston, TX 77058





LAB ANALYSIS REPORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

VALE 185	TTP184718W			DATE NEC	
MPLE 10E	VTIFICATION		NUS SAMPLE NO	RESULTS	UNITS
0B36	Hexach1oroethane			(10	υg/1
0837	Indeno(1,2,3 cd)Pyrene			(10	υg/1
0838	Isophorone			(10	ug/1
0B39	1			(10	υ g /1
0840	XI trobenzene			(10	ug/1
0841	N-Nitrosodimethylamine			(10	υ <u>σ</u> /1
0842	N-Nitrosodi-N-Propylamine			(10	ug/1
0B43		-		(10	υ <u>σ</u> /1
QB44	Phenanthrene			(10	ug/1
0B45				(10	υg/l
0846	1,2,4-Trichlorobenzene			(10	ug/1
0E25	Base Neutral Extraction-Water				-
0G36	GC/MS Additional Identificatio				N/A
W310	RCRA GROUNDWATER-CONTAMINATION				
W100	Carbon, organic (C)			7	ag/l
W315				620	ug/1
₩490	рН			7.0	
₩700	Specific Conductance 9 25 C			1,200	Umhos/c
ELL 5A (C	ENKA)	12/05	23120218		
0110	VOLATILES-PP IN WATER				
0V01	Acrolein			(100	υ q/ 1
8V02	Acrylonitrile			(100	ug/l
8003	Benzene			(10	υ <u>σ</u> /1
8V05	Bromoform			(10	บg/โ
9040	Carbon Tetrachloride			(10	ug/1
8707	Chlorobenzene			⟨ 10	υg/1
0V08	Chlorodibromomethane			(10	ug/1 1
BV09	Chloroethane			(10	υ <u>σ</u> /1
0V10	2-Chloroethylvinyl Ether			(10	υ <u>σ</u> /1
0V11	Chloroform			(10	บg/1
8V12	Dichlorobromomethane			(10	υ <u>σ</u> /1
0V14	1,1-Dichloroethane			⟨ 10	บฏ/ไ
2474	-,,-,,-,-,-,,-				

Houston, TX 77058





LAE ANALYSIS REFORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO:

999999

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	UNIT
0V16	1,1-Dichloroethylene		(10	 Ug/1
0V17	1,2-Dichloropropane		(10	υg/1
0V18	1,3-Dichloropropylene		(10	ug/1
GV19	Ethylbenzene		(10	υg/1
0V20	Hethyl Bromide		₹ 10	υg/1
0V21	Hethyl Chloride		(10	υg/1
0V22	Hethylene Chloride		(10	ug/1
0V23	1,1,2,2-Tetrachloroethane	•	10	Ug/]
0V24	Tetrachloroethylene(Perchloro)		(10	υg/1
0V25	Toluene		(10	ug/1
0V26	1,2-Trans-Dichloroethylene		(10	ug/1
0V27	1,1,1-Trichloroethane		(10	υg/1
0V28	1,1,2-Trichloroethane		(10	ug/1
0V29	Trichloroethylene		(10	ug/1
8V31	Vinyl chloride		(10	ug/1
0120	ACIDS - PP IN WATER			og, ,
0A01	2-Chlorophenol		(10	Ug/1
0A02	2,4-Dichlorophenol		(10	ug/1
0A03	2,4-Dimethylphenol		(10	ug/1
0A04	4,6-Dinitro-o-cresol		⟨ 10	ug/1
0A05	2,4-Dinitrophenol		(10	υg/1
0A06	2-Nitrophenol		(10	ug/1
8A07	4-Nitrophenol		(10	ug/1
80A0	p-Chloro-a-cresol		(10	ug/1
0A09	Pentachlorophenol		(10	ug/1
0A10	Phenol		(10	ug/1
0A11	2,4,6-Trichlorophenol		(10	ug/1
0E30	Acid Extraction-Water		, 25	og, ,
1130 E	RASE NEUTRALS - PP IN WATER			
0801	Acenaphthene		(10	ug/1
0802	Acenaphthylene		⟨ 10	υg/ (1
0B03	Anthracene		(10	ug/1
0B04	Benzidine		〈 10	υg/1
0805	Senzo(a)Anthracene		(10	ug/1



CLIENT NAME:

ADDRESS:

GEO-ASSOCIATES

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED: 12/06/83

E IDENT	TFICATION	NUS SAMPLE NO	RESULTS	UNITS
0806	Benzo(a)Pyrene		(10	ug/1
0807	3,4-Benzofluoranthene		⟨ 10	սց/1
8080	Benzo(ghi)Perylene		(10	ug/1
0809	Benzo(k)Fluoranthene		(10	ug/1
0B10	Bis(2-Chloroethoxy)Methane		(10	ยฐ/1
0B11	Bis(2-Chloroethyl)Ether		⟨ 10	ug/1
0812	Bis(2-Chloroisopropy1)Ether		(10	υ <u>σ</u> /1
0B13	Bis(2-Ethylhexyl)Phthalate	-	15	υ <u>σ</u> /1
OB14	4-Bromophenyl Phenyl Ether		(10	ug/1
0815	Butyl Benzyl Phthalate		(10	υ <u>σ</u> /1
0816	2-Chloronaphthalene		⟨ 10	ug/1
OB17	4-Chlorophenyl Phenyl Ether		(10	υ g /1
0818	Chrysene		(10	υ <u>σ</u> /1
0819	Dibenzo(a,h)Anthracene		(10	ug/1
0820	1,2-Dichlorobenzene		⟨ 10	υ <u>σ</u> /1
0B21	1,3-Dichlorobenzene		(10	ug/1
0B22	1,4-Dichlorobenzene		(10	υ <u>σ</u> /1
0823	3,3'-Dichlorobenzidine		(10	ug/1
0824	Diethyl Phthalate		(10	ug/1
0B25	Dimethyl Phthalate		(10	υ <u>σ</u> /1
0B26	Di-N-Butyl Phthalate		(10	υg/1
0B27	2,4-Dinitrotoluene		(10	υg/1
0828	2,6-Dinitrotoluene		(10	υg/1
0B29	Di-N-Octyl Phthalate		(10	บฐ/1
0B30	1,2-Diphenylhydrazine(Azobz)		(10	υg/1
0831	Fluoranthene		(10	บฏ/1
0832	Fluorene		⟨ 10	ug/1
0833	Hexach lorbenzene		(10	บฐ/ไ
0834	Hexachlorobutadiene		(10	υ <u>σ</u> /1
0B35	Hexachloro-cyclopentadiene	•	(10	υ <u>σ</u> /1
0836	Hexachloroethane		(10	υ <u>σ</u> /1
0837	Indeno(1,2,3 cd)Pyrene		⟨ 10	υg/1
0B38	Isophorone		(10	υg/1
0B39	Naphthalene		(10	υg/1





GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED: 12/06/83

11121110113	WEITE OF FOLLING		UAIE KE	EIVED: 12/06/
SAMPLE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	UNITS
0840	Ni trobenzene		⟨ 10	ug/1
0B41	N-Nitrosodimethylamine		(10	ug/1
0842	N-Nitrosodi-N-Propylamine		(10	uq/1
0R43	N-Nitrosodiphenylmine		(10	υg/1
0844	Phenanthrene		(10	υg/1
0B45	Pyrene		(10	υg/l
0846	1,2,4-Trichlorobenzene		(10	υ g /1
0E25	Base Neutral Extraction-Water			-
W310	GC/MS Additional Identificatio RCRA GROUNDWATER-CONTAMINATION			N/A
W100	Carbon, organic (C)		8	ng/l
W315	Halogens, Total Organic (TOX)		260	υ <u>σ</u> /1
₩490	pH		6.7	-
₩700	Specific Conductance 9 25 C		5,300	unhos/cm
21 (DENKA)	12/05	23120219		
	VOLATILES-PP IN WATER			
0V01	Acrolein		(100	υ g/ 1
0V02	Acrylonitrile		⟨ 100	ug/1
0003	Benzene		(10	υg/1
0V05	Bromoform		(10	υ <u>σ</u> /1
9000	Carbon Tetrachloride		(10	υg/1
0V07	Chlorobenzene		(10	υg/1
80V8	Chlorodibromomethane		(10	υ <u>σ</u> /1
0009	Chloroethane		(10	ug/1
0V10	2-Chloroethylvinyl Ether	•	(10	υg/1
0V11	Chloroform		(10	υ g/ 1
0V12	Dichlorobromomethane		(10	υg/1
0V14	1,1-Dichloroethane		⟨ 10	ug/1
0V15	1,2-Dichloroethane		(10	ug/1
8V16	1,1-Dichloroethylene		(10	ug/I
0V17	1,2-Dichloropropane		(10	υ g /1
0V18	1,3-Dichloropropylene		₹ 10	บฐ/1
0V19	Ethylbenzene		(10	υ <u>σ</u> /1





ANALYSIS REPORT

CLIENT NAME:

GEO-ASSOCIATES -

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	TINU
0V20	Methyl Bromide		(10	ug/1
0V21	Hethyl Chloride		(10	υ g /1
0V22	Hethylene Chloride		(10	ug/1
0V23	1,1,2,2-Tetrachloroethane		(10	ug/1
0V24	Tetrachloroethylene(Perchloro)		⟨ 10	ug/1
0V25	Toluene		(10	บฐ/
0026	1,2-Trans-Dichloroethylene		(10	υ <u>σ</u> /1
0V27	1,1,1-Trichloroethane		(10	υ <u>σ</u> /1
0V28	1,1,2-Trichloroethane		(10	υ <u>σ</u> /1
6V29	Trichloroethylene		⟨ 10	บฎ/
OV31	Vinyl chloride		(10	ug/1
0120	ACIDS - PP IN WATER			
0A01	2-Chlorophenol		(10	ug/1
0A02	2,4-Dichlorophenol		(10	ug/
DA03	2,4-Dimethylphenol		(10	υ <u>σ</u> /1
0A04	4,6-Dinitro-o-cresol		⟨ 10	'/פַט
0A05	2,4-Dinitrophenol		⟨ 10	υg/1
0A06	2-Nitrophenol		(10	'/פַע
0A07	4-Nitrophenol		(10	ug/1
80A0	p-Chloro-m-cresol		(10	'/פַט
0A09	Pentachlorophenol		(10	ug/1
0A10	Phenol		(10	/פט
0A11	2,4,6-Trichlorophenol		(10	ug/1
0E30	Acid Extraction-Water			-3.
3130	BASE NEUTRALS - PP IN WATER			
0B01	Acenaphthene	•	(10	ug/1
0B02	Acenaphthylene		⟨ 10	υg/1
0803	Anthracene		(10	υ <u>σ</u> /1
0804	Benzidine		(10	υ <u>σ</u> /1
0B05	Senzo(a)Anthracene		⟨ 10	υ <u>σ</u> /1
0B06	Benzo(a)Pyrene		⟨ 10	ug/1
0807	3,4-Benzofluoranthene		(10	υg/1
8080	Benzo(ghi)Perylene		(10	-3 [/gu
0809	Benzo(k)Fluoranthene		(10	ug/}





CLIENT NAME:

GED-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

E IDENT	TFICATION	NUS SAMPLE NO	RESULTS	UNITS
0810	Bis(2-Chloroethoxy)Kethane		(10	ug/1
0B11	Bis(2-Chloroethyl)Ether		(10	υg/1
0812	Bis(2-Chloroisopropyl)Ether		(10	υ <u>σ</u> /1
0813	Bis(2-Ethylhexyl)Phthalate		(10	ug/1
0814	4-Bromophenyl Phenyl Ether		(10	υg/1
8815	Butyl Benzyl Phthalate		(10	ug/1
0816	2-Chloronaphthalene		(10	υ <u>σ</u> /1
0B17	4-Chlorophenyl Phenyl Ether	•	(10	υg/1
0B18	Chrysene		(10	υ <u>σ</u> /}
0B19	Dibenzo(a,h)Anthracene		(10	υ <u>σ</u> /1
0820	1,2-Dichlorobenzene		(10	υ <u>σ</u> /1
0B21	1,3-Dichlorobenzene		(10	υg/1
0822	1,4-Dichlorobenzene		(10	υg/1
0823	3,3'-Dichlorobenzidine		(10	υg/1
0824	Diethyl Phthalate		⟨ 10	υg/1
0825	Dimethyl Phthalate		(10	ug/1
0826	Di-N-Butyl Phthalate		(10	ug/1
0827	2,4-Dinitrotoluene		(10	υg/1
0B28	2,6-Dinitrotoluene		(10	υ g/ 1
0829	Di-N-Octyl Phthalate		(10	ug/1
0830	1,2-Diphenylhydrazine(Azobz)		(10	υg/1
0831	Fluoranthene		(10	ug/1
0832	Fluorene		(10	υg/ì
0B33	Hexachlorbenzene		⟨ 10	ug/1
0834	Hexachlorobutadiene		(10	υg/1
0835	Hexachloro-cyclopentadiene		(10	ug/1
0836	Hexachloroethane		₹ 10	ug/1
0B37	Indeno(1,2,3 cd)Pyrene		(10	ug/1
0838	Isophorone		(10	ug/1
0B39	Naphthalene		(10	ug/1
0840	Ni trobenzene		(10	υg/1
0B41	N-Nitrosodimethylamine		⟨ 10	υg/1
0842	N-Nitrosodi-N-Propylamine		(10	υg/1
0843	N-Nitrosodiphenylmine		(10	ug/1



713 - 488-1810

LAB ANALYSIS REPORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282 STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

MAYNE C DOLLADO

ATTENTION:	WAYNE S. POLLARD			DATE REC	EIVED: 12/06/83
SAMPLE IDEN	TIFICATION		NUS SAMPLE NO	RESULTS	UNITS
0844	Phenanthrene			(10	uq/1
0B45	Pyrene			(10	υ <mark>g</mark> /1
0846	1,2,4-Trichlorobenzene			(10	υ <u>σ</u> /1
0E25	Base Neutral Extraction-Wate	r			-
0636 W310	GC/MS Additional Identificatio RCRA GROUNDWATER-CONTAMINATION				N/A
W100	Carbon, organic (C)			3	ag/l
¥315	Halogens, Total Organic (TOX)		44	ug/1
¥490	pH			7.1	
₩700	Specific Conductance @ 25 C			1,900	umhos/cm
22 (DENKA)		12/05	23120220		
0110	VOLATILES-PP IN WATER				
0001	Acrolein			₹ 100	ug/1
0V02	Acrylonitrile			(100	υg/1
0003	Benzene			(10	υ <u>α</u> /1
0005	Bromoform			(10	υg/1
9000	Carbon Tetrachloride			(10	ug/1
0V07	Chlorobenzene			(10	υg/1
0008	Chlorodibromomethane			(10	υg/1
0V09	Chloroethane			(10	υ <u>σ</u> /1
0V10	2-Chloroethylvinyl Ether			(10	υ g /1
0V11	Chloreform			(10	ug/1
0V12	Dichlorobromomethane			(10	ug/1
8V14	1,1-Dichloroethane			(10	ug/1
0V15	1,2-Dichloroethane		*	(10	υ g/ 1
0V16	1,1-Dichloroethylene			⟨ 10	υg/1
0V17	1,2-Dichloropropane			⟨ 10	ug/1
0V18	1,3-Dichloropropylene			(10	υg/1
0V19	Ethylbenzene			₹ 10	υ α/]
0V20	Methyl Bromide			(10	บฐ/1
0V21	Methyl Chloride			(10	ug/1
0V22	Methylene Chloride			(10	υ <u>σ</u> /1
0V23	1,1,2,2-Tetrachloroethane			(10	υ <u>σ</u> /1





LAE ANALYSIS REFORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: 000000

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

PLE IDEN	TIFICATION	NUS SAMPLE NO	RESULTS	TINU
0V24	Tetrachloroethylene(Perchloro)		(10	 1/gu
0V25	Toluene		(10	υ <u>σ</u> /1
0026	1,2-Trans-Dichloroethylene		(10	ug/1
0V27	1,1,1-Trichloroethane		(10	ug/1
0728	1,1,2-Trichloroethane		(10	υg/1
0V29	Trichloroethylene		(10	υ <u>α</u> /1
0V31	Vinyl chloride		(10	υ <u>σ</u> /1
3120	ACIDS - PP IN WATER	-		
0A01	2-Chlorophenol		(10	ug/1
8A02	2,4-Dichlorophenol		(10	υg/1
0A03	2,4-Disethylphenol		(10	ug/1
8A04	4,6-Dimitro-o-cresol		(10	[/פֵט
0A05	2,4-Dinitrophenol		(10	- 1/وں
804 <u>0</u>	2-Nitrophenol		(10	υ <u>σ</u> /1
0A07	4-Nitrophenol		(10	ug/1
80A8	p-Chloro-m-cresol		(10	บอู/ไ
0A09	Pentachlorophenol		⟨ 10	ug/1
0410	Pheno)		(10	บฏ/ไ
0A11	2,4,6-Trichlorophenol		(10	υ <u>σ</u> /1
0E30	Acid Extraction-Water			-
	BASE NEUTRALS - PP IN WATER			
0801	Acenaphthene		₹ 10	υq/1
0802	Acenaphthylene		(10	บฐ/1
0803	Anthracene		(10	ر 1/وں
0B04	Benzidine		(10	υg/1
0B 0 5	Benzo(a)Anthracene	•	(10	υg/1
0806	Benzo(a)Pyrene		(10	ug/1
0807	3,4-Benzofluoranthene		(10	υ <u>σ</u> /1
0808	Benzo(ghi)Perylene		⟨ 10	υg/1
0809	Benzo(k)Fluoranthene		(10	υ <u>σ</u> /1
0810	Bis(2-Chloroethoxy)Methane		(10	ug/1
0811	Bis(2-Chloroethyl)Ether		(10	υg/1
0812	Bis(2-Chloroisopropyl)Ether		(10	ug/1
0B13	Bis(2-Ethylhexyl)Phthalate		81	uq/1



CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

REPORT DATE: 12/28/83

ATTENTION:

WAYNE S. POLLARD

DATE RECEIVED:

E IDENT	TFICATION	NUS SAMPLE NO	RESULTS	UNITS
0B14	4-Bromophenyl Phenyl Ether		(10	ug/1
0815	Butyl Benzyl Phthalate		(10	υ <u>σ</u> /1
0816	2-Chloronaphthalene		(10	υg/1
0B17	4-Chlorophenyl Phenyl Ether		(10	ug/1
0B18	Chrysene		(10	ug/1
OB19	Dibenzo(a.h)Anthracene		(10	ug/1
0820	1,2-Dichlorobenzene		(10	υ <u>σ</u> /1
0B21	1,3-Dichlorobenzene	•	(10	υ g /1
0822	1,4-Dichlorobenzene		(10	υg/1
0823	3,3'-Dichlorobenzidine		(10	ug/1
0B24	Diethyl Phthalate		(10	υ <u>σ</u> /1
0825	Dimethyl Phthalate		⟨ 10	υg/1
0B26	Di-N-Butyl Phthalate		(10	ו/פט
0B27	2,4-Dinitrotoluene		⟨ 10	ug/1
0828	2,6-Dinitrotoluene		(10	ug/}
0829	Di-N-Octyl Phthalate		⟨ 10	7 July 1
0830	1,2-Diphenylhydrazine(Azobz)		(10	ug/1
0831	Fluoranthene		(10	υg/1
0832	Fluorene		(10	υg/1
0833	Hexachlorbenzene		(10	υg/1
0834	Hexachlorobutadiene		(10	ug/1
0B35	Hexachloro-cyclopentadiene		(10	υg/]
0B36	Hexachloroethane		(10	ug/1
0B37	Indeno(1,2,3 cd)Pyrene		(10	ug/1
0838	Isophorone		(10	ug/1
0B39	Naphthalene		(10	υg/1
0840	Ni trobenzene		(10	ug/1
OB41	N-Nitrosodimethylamine		(10	υg/1
0842	N-Nitrosodi-N-Propylamine		(10	ug/1
0843	N-Nitrosodiphenylmine	•	(10	1/gu
0844	Phenanthrene		(10	ug/1
0B45	Pyrene		(10	7 lgu
0B46	1,2,4-Trichlorobenzene		(10	_
0E25	Base Neutral Extraction-Water		/ 10	ug/1



Laboratory St s Division 900 Gemini Avenue Houston, TX 77058

REMIT TO: 900 Gemini Avenue Houston, TX 77058

713 - 488-1810

LAE ANALYSIS REPORT

CLIENT NAME:

GEO-ASSOCIATES

ADDRESS:

10701 CORPORATE DRIVE, SUIT 282

STAFFORD,

TX 77477

NUS PROJECT NO: QQQQQQ

NUS CLIENT NO:

721501

ATTENTION:

WAYNE S. POLLARD

REPORT DATE: 12/28/83

DATE RECEIVED:

12/06/83

rtt luth	TIFICATION	NUS SAMPLE NO	RESULTS.	UNITS

0G36	GC/MS Additional Identificatio			N/A
W310	RCRA GROUNDWATER-CONTAMINATION			
₩100	Carbon, organic (C)		3	a q/1
W315	Halogens, Total Organic (TOX)		27	ug,,
¥490	ВН		7.3	og, ,
W700	Specific Conductance @ 25 C		1.300	unhos/

COMMENTS:



1100

umhos/cm



ANALYSIS REPORT

CLIENT NAME: ADDRESS:	GEO-ASSOCIATES 10701 CORPORATE DRIVE, SUIT 282 STAFFORD, TX 77477			NUS PROJ NUS CLIE	ECT NO: 000000 NT NO: 721501
ATTENTION:	WAYNE S. POLLARD		E: 03/27/84	DATE REC	EIVED: 03/09/84
SAMPLE IDEN	TIFICATION		NUS SAMPLE NO	RESULTS	UNITS
W700	Specific Conductance 2 25C			4500	umhos/cm
WELL 21 (D	enka)	03/09	24030511		
¥310	RCRA GROUNDWATER-CONTAMINATION				
W100	Carbon, Total Organic (TOC)			3	ng/1
W315	Halogens, Total Organic (TOX)		96	ug/1
¥490	pН			7.0	•
¥700	Specific Conductance @ 25C			1800	unhos/cm
WELL 22 (D)	ENKA)	03/09	24030512		
W310	RCRA GROUNDWATER-CONTAMINATION				
W100	Carbon, Total Organic (TOC)			2	ng/l
W315	Halogens, Total Organic (TOX)		23	ug/1
¥490	p∺			7.3	_

COMMENTS:

Specific Conductance @ 25C

W700



¥490

рΗ

LAB ANALYSIS REPORT

		4t H—1 t	ibib KEF	UKI	
CLIENT NAME: ADDRESS:	GEO-ASSOCIATES 10701 CORPORATE DRIVE, SUIT 282 STAFFORD, TX 77477			NUS PROJ NUS CLII	ECT NO: 900000 ENT NO: 721501
ATTENTION:	WAYNE S. POLLARD	REPORT	DATE: 03/27/84	DATE RE	CEIVED: 03/09/84
SAMPLE IDEN	TIFICATION		NUS SAMPLE NO	RESULTS	UNITS
WELL 1 (DE W310	NKA) RCRA GROUNDWATER-CONTAHINATION	03/09	24030506		
₩100 ₩315	Carbon, Total Organic (TOC) Halogens, Total Organic (TOX)		20 260	ag/] ug/]
¥490 ¥700	pH Specific Conductance @ 25C	•		6.5 6200	ushos/cm
WELL 2 (DE		03/09	24030507		
W100	RCRA GROUNDWATER-CONTAMINATION Carbon, Total Organic (TOC)			35	ng/l
₩315 ₩490	Halogens, Total Organic (TOX pH)		770 6.3	ng/}
¥700	Specific Conductance @ 25C			8400	umhos/cm
WELL 3 (DE W310		03/09	24030508		
W310	RCRA GROUNDWATER-CONTAMINATION			_	
W315	Carbon, Total Organic (TOC)			9	ng/1
¥490	Halogens, Total Organic (TOX) pH	1		230	ug/1
W700	Specific Conductance @ 25C			6.5 2800	umhos/cm
WELL #4 (D)		03/09	24030509		
	RCRA GROUNDWATER-CONTAMINATION				
W100	Carbon, Total Organic (TBC)			3	mg/l
W315	Halogens, Total Organic (TOX)	1		580	υ <u>σ</u> /1
¥490	pH			6.9	-
₩700	Specific Conductance @ 250			1200	unhos/cm
WELL SA (DI		03/09	24030510		
	RERA GROUNDWATER-CONTAMINATION				
M100	Carbon, Total Organic (TOC)			11	aq/l
W315	Halogens, Total Organic (TOX)			260	ug/1
¥490	nΗ			J . k	

6.4